

30 Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733




Tiêu chuẩn:

Mặt: BS5733

Công tắc: IEC60669-1

Ổ cắm: IEC60884

Ổ dữ liệu, TV, điện thoại: IEC11801, BS3041, BS5733



Unit price (excl.VAT) in USD

Plate			
Description	Box size	Reference	Unit Price
1 gang plate	30/300	31AVH	0.91
2 gang plate	30/300	32AVH	0.91
3 gang plate	30/300	33AVH	0.91
4 gang plate	30/300	34AVH	1.56
5 gang plate	30/300	35AVH	1.56
6 gang plate	30/300	36AVH	1.56
Blank plate	30/300	31AVX	1.29
Plate for safety breaker	20/200	31AVMCB	1.19
Plate for 1P MCB	20/200	31AVMCB1	1.36
Plate for 2P MCB	20/200	31AVMCB2	1.36

Socket Outlet w. Shutter 250V (complete set)			
Description	Box size	Reference	Unit Price
16A 2 pin single socket	15/150	E426UST	2.18
16A 2 pin duplex socket	15/150	E426UST2CB	3.79
16A 2 pin single socket & 1 switch aperture	15/150	E426UX	3.40
16A 2 pin single socket & 2 switch aperture	15/150	E426UXX	3.37
16A 3 pin single socket	15/150	E426UEST	3.92
16A 3 pin duplex socket	15/150	E426UEST2/T	4.98
16A 3 pin single socket & 1 switch aperture	15/150	E426UEX	4.51
16A 3 pin duplex switched socket	15/150	E25UES	6.59

Telephone Outlet (complete set)			
Description	Box size	Reference	Unit Price
6 wire 1 gang Tel	20/200	3301AV1	3.90
6 wire 2 gang Tel	20/200	3301/2	6.58

Weather proof plate, IP54: IEC60529			
Description	Box size	Reference	Unit Price
IP54 weatherproof cover w. box for series 30	6/120	223V	12.16
IP54 aperture plate	10/50	31AWP	7.86

Delivery time: 30 - 60 days

Switch & accessories for 30 Series, E30 Series & 2000 Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733

Tiêu chuẩn:

Mặt: BS5733

Công tắc: IEC60669-1

Ổ cắm: IEC60884

Ổ dữ liệu, TV, điện thoại: IEC11801, BS3041, BS5733



Unit price (excl.VAT) in USD

Switch Module 250V

Description	Box size	Reference	Unit Price
16A 1 way switch	20/100/1000	E30/1/M-D	0.68
10A 2 way switch	20/100/1000	30M	1.57
35A 2 way switch		30M35	12.50
20A 3P switch		30MD20	5.51
15A 4 position rotary switch		30RSM3	10.29
3A bell switch		30MBP2/3J	2.75

VDI Outlet Module

Description	Box size	Reference	Unit Price
TV coaxial outlet	100/1000	30TV75MS	2.61
Tel outlet	20/400	RJ11VM30MJ	5.29
8 wire data outlet, cat5e	20/400	ACTRJ30M5ENSUWE	6.18
8 wire data outlet, cat6	20/400	VDIB17756UWE	13.75

Dimmer & Neon Indicator Module

Description	Box size	Reference	Unit Price
400W fan speed controller	20/200	32V400FM/K	10.35
500W light dimmer	20/200	32V500M/K	9.29
Neon indicator, red	16/160	E32NRD	1.79
Neon indicator, green	16/160	E32NGN	1.79

Plug Top 250V

Description	Box size	Reference	Unit Price
10A 2 Flat pin plug tops		U418T2	2.16
16A 3 pin plug tops		U418T	2.82
13A 3 pin british plug w. fuse		EP13-BL	6.94

Wall Box For AS

Description	Box size	Reference	Unit Price
1G box, 101x51x38mm	100	157	0.94
1G box, 101x51x51mm	100	157/1	1.17
Surface box for series 30	10/100	CK237	1.07
Surface box for series 2000	10/100	CK2237	1.07

Wall Box For BS

Description	Box size	Reference	Unit Price
1G box, 75x75x47mm		E257DBE	1.10
1G box, 134x75x47mm		ET257DBE	1.75

Accessories

Description	Box size	Reference	Unit Price
Screw cap, s30		31AVH - 2&PKG	0.06

Delivery time: 30 - 60 days

E30 Series

Standard:

Plate: BS5733

Switch: BS1363-2, BS3676, BS5733 & BS546

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733


Tiêu chuẩn:

Mặt: BS5733

Công tắc: BS1363-2, BS3676, BS5733 & BS546

Ổ cắm: IEC60884

Ổ dữ liệu, TV, điện thoại: IEC11801, BS3041, BS5733



Unit price (excl.VAT) in USD


Plate

Description	Box size	Reference	Unit Price
1 gang square plate	20/400	E31	1.38
2 gang square plate	20/400	E32	1.38
3 gang square plate	20/400	E33	1.38
Square blank plate	20/400	E31X	2.04



British & Schuko Socket w. Shutter 250V (complete set)

Description	Box size	Reference	Unit Price
13A 3P single switch socket	10/100	E15	5.41
13A 3P duplex switch socket	10/100	E25	15.15
13A 3P duplex switch socket w. neon	10/100	E25N	18.10
15A 3 round pin single socket	10/100	E426/15	4.89
15A 3 round pin single switched socket	10/200	E15/15	7.58
16A Schuko socket		E426/16	6.35
13A fused connection unit		E30FSG	10.61



ESM Metal Clad Switch & Socket w. Shutter 250V (complete set)

Description	Box size	Reference	Unit Price
10A 1 gang 1 way switch metalclad	5/50	ESM31/1/2AR	11.63
10A 1 gang 2 way switch metalclad	5/50	ESM31/2/3A	12.92
10A 2 gang 1 way switch metalclad	5/50	ESM32/1/2A	15.06
10A 2 gang 2 way switch metalclad	5/50	ESM32/2/3A	16.77
10A 3 gang 1 way switch metalclad	5/50	ESM33/1/2A	19.14
10A 4 gang 1 way switch metalclad	5/50	ESM34/1/2A	20.44
13A 1G metalclad switch socket	5/50	ESM15	15.02
13A twin metalclad switched socket	5/50	ESM25	27.49



Hotel Series

Description	Box size	Reference	Unit Price
110/240V Shaver socket (vertical)	1/20	E727	52.74
110/240V Shaver socket (horizontal)	1/20	E727HT	52.74
16A Key card switch 25 sec. off delay	1/10	E2031EKT	33.01
Blank key card for E2031EKT	1/10	E2031EKT-KC	0.59
20A DP key switch		E31KT	18.62
Labeling key tag for E31KT		EKT	2.58

Delivery time: 30 - 60 days

Mega-2000 & S2000 Series

Mega-2000 & 2000 Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733

Sê-ri Mega-2000 & Sê-ri 2000

Tiêu chuẩn:

Mặt: BS5733

Công tắc: IEC60669-1

Ổ cắm: IEC60884

Ổ dữ liệu, TV, điện thoại: IEC11801, BS3041, BS5733



Unit price (excl.VAT) in USD

Grid Plate (w.o surround)

Description	Box size	Reference	Unit Price
1 gang plate	30/300	2031VHGA	0.75
2 gang plate	30/300	2032VHGA	0.75
3 gang plate	30/300	2033VHGA	0.75
4 gang plate	30/300	2034VHGA	1.40
5 gang plate	30/300	2035VHGA	1.40
6 gang plate	30/300	2036VHGA	1.40
Blank plate	30/300	2031VXGA	1.24



Socket w. Shutter 250V (w.o surround)

Description	Box size	Reference	Unit Price
16A 2 pin single socket	15/150	2426USGA	2.20
16A 2 pin duplex socket	15/150	2426US2GA	3.84
16A 2 pin single socket & 1 switch aperture	20/200	2426USXGA	3.36
16A 2 pin single socket & 2 switch aperture	20/200	2426USXXGA	3.65
16A 3 pin single socket	15/150	2426UESGA	4.07
16A 3 pin duplex socket	15/150	2426UES2/TGA	5.16
16A 3 pin single socket & 1 switch aperture	20/200	2426UESXGA	4.68
16A 3 pin single socket & 2 switch aperture	20/200	2426UESXXGA	4.68




Mega-2000 Series Switch 16A 250V (complete set)

Description	Box size	Reference	Unit Price
16A 1 gang 1 way switch	10/100	2031L1/2A	3.41
16A 1 gang 2 way switch	10/100	2031L2/3A	4.58
16A 2 gang 1 way switch	10/100	2032L1/2A	5.23
16A 2 gang 2 way switch	10/100	2032L2/3A	6.26
16A 3 gang 1 way switch	10/100	2033L1/2A	7.13
16A 3 gang 2 way switch	10/100	2033L2/3A	7.78
16A 1 gang 2 way switch w. neon	10/100	2031L2/4NA	5.57
16A 2 gang 2 way switch w. neon	10/100	2032L2/4NA	8.80
16A 3 gang 2 way switch w. neon	10/100	2033L2/4NA	9.92
Bell switch	10/100	2031LBPRA	3.06



Surround (for grid plate & socket)

Description	Box size	Reference	Unit Price
Surround, white color	20/200	2000WE	0.31
Surround, color	20/200	2000 (color)	0.61



Delivery time: 30 - 60 days

S-Flexi Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733

Tiêu chuẩn:

Mặt: BS5733

Công tắc: IEC60669-1

Ổ cắm: IEC60884

Ổ dữ liệu, TV, điện thoại: IEC11801, BS3041, BS5733



Unit price (excl.VAT) in USD

Plate

Description	Box size	Reference	Unit Price
1 gang plate	10/100	FG1051	0.71
2 gang plate	10/100	FG1052	0.71
3 gang plate	10/100	FG1053	0.71
1 gang plate (for 1M size)	10/100	FG1050	0.71



Switch Module 16A 250V

Description	Box size	Reference	Unit Price
16A 1 way switch, L size	12/120	F50M4	1.39
16A 1 way switch, M size	20/200	F50M2	1.06
16A 1 way switch, S size	36/360	F50M1.5	0.89
16A 1 way switch, XS size	40/400	F50M1	0.90
16A 2 way switch, L size	12/120	F50/2M4	1.82
16A 2 way switch, M size	20/200	F50/2M2	1.59
16A 2 way switch, S size	36/360	F50/2M1.5	1.60
16A 2 way switch, XS size	40/400	F50/2M1	1.27


Bell switch Module 10A 250V

Description	Box size	Reference	Unit Price
10A Bell switch (L size)	12/120	F50BPM4	2.14
10A Bell switch (M size)	20/200	F50BPM2	2.14



Switch 16A 250V (complete set)


Description	Box size	Reference	Unit Price
16A 1 gang 1 way switch, L size	10/100	F1051	2.03
16A 2 gang 1 way switch, M size	8/80	F1052	2.76
16A 3 gang 1 way switch, S size	8/80	F1053	3.38
16A 4 gang 1 way switch, XS size	8/80	F1054	3.99
16A 1 gang 2 way switch, L size	10/100	F1051/2	2.38
16A 2 gang 2 way switch, M size	8/80	F1052/2	3.82
16A 3 gang 2 way switch, S size	8/80	F1053/2	4.97
16A 4 gang 2 way switch, XS size	8/80	F1054/2	5.17



Weather proof plate w. box, IP54: IEC 60529

Description	Box size	Reference	Unit Price
Weatherproof cover for S-Flexi series (white color)	8/40	F3223HSMR	14.59
Weatherproof cover for S-Flexi series (grey color)	8/40	F3223HSMR(GY)	14.59

Switch mechanism



Delivery time: 30 - 60 days


S-Flexi Series

Standard:

Plate: BS5733
 Switch: IEC60669-1
 Socket: IEC60884
 VDI outlet: IEC11801, BS3041, BS5733

Tiêu chuẩn:

Mặt: BS5733
 Công tắc: IEC60669-1
 Ổ cắm: IEC60884
 Ổ dữ liệu, TV, điện thoại: IEC11801, BS3041, BS5733



Unit price (excl.VAT) in USD

Socket Module 250V w. Shutter

Description	Box size	Reference	Unit Price
10A 2 pin socket, S size	30/300	F30426USM	1.51
10A 2 pin socket, M size	32/320	F1426USM	1.34
16A 3 pin socket, M size	32/320	F1426UESM	2.75
13A International socket, M size	32/320	F1426UAM	2.75
16A 3 pin twin socket, M size	32/320	F1426UEST2M	3.19

VDI Outlet Module


Description	Box size	Reference	Unit Price
TV coaxial, M size	40/400	F50TVM	2.58
6 wire Tel outlet, M size	32/320	F50RJ6M	3.96
8 wire data outlet w.shutter, cat5e, M size	24/240	F50RJ5EM	7.20
TV coaxial, S size	30/300	F30TVSM	2.35
4 wire Tel outlet, S size	30/300	F30R4M	3.03
8 wire data w.shutter outlet, cat5e, S size	24/240	F30RJ5EM	6.21



Dimmer & Accessories Module


Description	Box size	Reference	Unit Price
Fan speed controller, M size	16/160	F50FC250M	8.79
400W light dimmer, M size	16/160	F50RD400M	7.33
10A neon indicator, M size	32/320	F50NM2-RD	2.01
10A neon indicator, S size	30/300	F30NM2-RD	1.74
Blank cover, XS size	55/550	F50XM1	0.43

Socket mechanism



Delivery time: 30 - 60 days

Accessories



Concept Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733

Tiêu chuẩn:

Mặt: BS5733

Công tắc: IEC60669-1

Ổ cắm: IEC60884

Ổ dữ liệu, TV, điện thoại: IEC11801, BS3041, BS5733



Unit price (excl.VAT) in USD

Plate			
Description	Box size	Reference	Unit Price
1 gang plate	20/200	A3001	0.94
2 gang plate	20/200	A3002	0.94
3 gang plate	20/200	A3000	0.94
Twin plate	16/160	A3000T2	1.67
Blank plate	20/200	A3030VX	1.43

Switch Module 16A - 250V, w. Fluorescent			
Description	Box size	Reference	Unit Price
16A 1 way switch w.fluores (S size)	12/60	3031/1/2M-F	1.65
16A 2 way switch w.fluores (S size)	12/60	3031/2/3M-F	2.18
16A 1 way switch w.fluores (M size)	8/40	3031M1/2M-F	2.02
16A 2 way switch w.fluores (M size)	8/40	3031M2/3M-F	2.49
16A 1 way switch w.fluores (L size)	4/20	3031E1/2M-F	2.33
16A 2 way switch w.fluores (L size)	4/20	3031E2/3M-F	2.86

Switch Module 250V, w. Neon			
Description	Box size	Reference	Unit Price
1 way switch w. neon (S size)	12/60	3031/1/2NM	4.35
20A double pole sw (L size)	20/200	3031EMD20NM	7.76

Bell Switch Module 250V			
Description	Box size	Reference	Unit Price
Bell switch (L size)	24/240	3031EMBP2/3	3.11

Weather proof plate, IP54: IEC 60529			
Description	Box size	Reference	Unit Price
Weatherproof cover w. box for Concept series	8/80	A3223HSM	16.20

Delivery time: 30 - 60 days

Concept Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733

Tiêu chuẩn:

Mặt: BS5733

Công tắc: IEC60669-1

Ổ cắm: IEC60884

Ổ dữ liệu, TV, điện thoại: IEC11801, BS3041, BS5733

Unit price (excl.VAT) in USD



Socket w. Shutter Module 16A - 250V

Description	Box size	Reference	Unit Price
16A 2 pin socket	12/60	3426USM	1.69
16A 3 pin socket	6/30	3426UESTM	3.26
16A 3 pin twin socket	4/20	3426UEST2M	3.87



VDI Outlet Module

Description	Box size	Reference	Unit Price
TV coaxial outlet	12/60	3031TV75MS	3.89
6 wire Tel outlet w. shutter	12/60	3031RJ64M	3.89
8 wire data outlet w.shutter	12/60	3031RJ88SMA5	7.47



Dimmer & Accessories Module

Description	Box size	Reference	Unit Price
Fan speed controller	12/48	3031V400FM/K	14.33
500W light dimmer	12/48	3031V500M/K	12.65
Red neon indicator	12/60	3031NRD	2.11
Green neon indicator	12/60	3031NGN	2.11
Blank cover (S size)	12/60	3030P	0.43



Hotel Series Module (used with Vertical Plate)

Description	Box size	Reference	Unit Price
110/240V Shaver socket (vertical)	1/20	A3727	51.54
240V key card switch (vertical)	1/20	A3031EKT	29.37
"Do not disturb" neon indicator	12/60	3031NDMRD	7.90
"Please clean up" neon indicator	12/60	3031NPMGN	7.90
3 position switch	12/60	3039M	10.97



Hotel Series Module (used with Horizontal Plate)

Description	Box size	Reference	Unit Price
110/240V Shaver socket (horizontal)	1/20	A3727H	51.54
240V key card switch (horizontal)	1/20	A3031EKTH	29.37
"Do not disturb" neon indicator	12/60	3031NDMHRD	7.90
"Please clean up" neon indicator	12/60	3031NPMHGN	7.90
3 position switch	12/60	3039MH	10.97

Delivery time: 30 - 60 days

Zencelo, White Color Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733

Tiêu chuẩn:

Mặt: BS5733

Công tắc: IEC60669-1

Ổ cắm: IEC60884

Ổ dữ liệu, TV, điện thoại: IEC11801, BS3041, BS5733

Unit price (excl.VAT) in USD

Switch, White Color




Description	Box size	Reference	Unit Price
16A 1G 1W switch w. Ondicator	8/80	E8431/1	(**)
16A 2G 1W switch w. Ondicator	8/80	E8432/1	(**)
16A 3G 1W switch w. Ondicator	8/80	E8433/1	(**)
16A 1G 2W switch	8/80	E8431/2	(**)
16A 2G 2W switch	8/80	E8432/2	(**)
16A 3G 2W switch	8/80	E8433/2	(**)
1G 350VA, 50Hz dimmer w. LED	6/60	E8431EPD4	(**)
2G 300VA, 50Hz dimmer w. LED	6/60	E8432EPD3	(**)

Double Pole Switch, White Color



Description	Box size	Reference	Unit Price
20A 1G DP switch w. neon	8/80	E8431D20	(**)
20A 2G DP switch w. neon	8/80	E8432D20	(**)
32A 1G DP switch w. neon	8/80	E8431D32	(**)
45A 1G DP switch w. neon	8/80	E8431D45	(**)

Socket Outlet, White Color



Description	Box size	Reference	Unit Price
10A 1G 2 pin switched socket w. Ondicator	8/80	E8415U	(**)
10A 1G 2 pin socket	8/80	E84426U	(**)
10A 2G 2 pin socket	8/80	E84426U2	(**)
16A 1G 3 pin socket		E84426UEST	(**)
16A 2G 3 pin socket		E84426UEST2	(**)
16A 1G International socket w. shutter	8/80	E84426/16IS	(**)

British Socket Outlet, White Color



Description	Box size	Reference	Unit Price
13A 1G socket	10/100	E84426	(**)
13A 1G switched socket w. Ondicator	8/80	E8415	(**)
13A 1G switched socket w. neon	8/80	E8415N	(**)
13A twin gang socket	5/50	E84T426	(**)
13A twin gang switched socket w. Ondicator	5/50	E84T25	(**)
13A twin gang switched socket w. neon	5/50	E84T25N	(**)
13A 1G DP switched socket w. Ondicator	8/80	E8415D	(**)
13A twin gang DP switched socket w. Ondicator	4/40	E84T25D	(**)
13A 1G DP switched socket w. neon	8/80	E8415DN	(**)
13A twin gang DP switched socket w. neon	4/40	E84T25DN	(**)
45A DP switch & 13A switched socket	5/50	E84T15D45N	(**)

Delivery time: 30 - 60 days

(**) Please contact Schneider Electric distributors for price request.

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733

Tiêu chuẩn:

Mặt: BS5733

Công tắc: IEC60669-1

Ổ cắm: IEC60884

Ổ dữ liệu, TV, điện thoại: IEC11801, BS3041, BS5733



Unit price (excl.VAT) in USD

VDI Outlet, White Color

Description	Box size	Reference	Unit Price
1G CATV outlet	#N/A	E8431CATV	(**)
1G TV outlet	8/80	E8431TVS	(**)
2G TV outlet	8/80	E8432TVS	(**)
1G TV outlet slave, 5-1000 Mhz , F connection	8/80	E8431TVSF	(**)
1G TV outlet master, 5-1000 Mhz, F connection	6/60	E8431TVMF	(**)
1G Tel outlet w. shutter on plate	8/80	E8431RJS4	(**)
2G Tel outlet w. shutter on plate	8/80	E8432RJS4	(**)
1G data outlet cat5e, w. integrated shutter	8/80	E8431RJ/5	(**)
1G data outlet cat5e, w. shutter on plate	8/80	E8431RJS/5	(**)
2G data outlet cat5e, w. integrated shutter	8/80	E8432RJ/5	(**)
2G data outlet cat5e, w. shutter on plate	8/80	E8432RJS/5	(**)
1G data outlet cat6, w. integrated shutter	8/80	E8431RJ/6	(**)
1G data outlet cat6, w. shutter on plate	8/80	E8431RJS/6	(**)
2G data outlet cat6, w. integrated shutter	8/80	E8432RJ/6	(**)
2G data outlet cat6, w. shutter on plate	8/80	E8432RJS/6	(**)
Tel & data outlet cat5e, w. integrated shutter	8/80	E8432TDRJS/5	(**)
Tel & data outlet cat6, w. shutter on plate	8/80	E8432TDRJS/6	(**)
1G plate w.o modular jack	10/100	E8431RJ	(**)
1G shuttered plate w.o modular jack	10/100	E8431RJS	(**)
2G plate w.o modular jack	10/100	E8432RJ	(**)
2G shuttered plate w.o modular jack	10/100	E8432RJS	(**)



Hotel Series, White Color

Description	Box size	Reference	Unit Price
Shaver unit, vertical	1/20	E84T727V	(**)
Shaver unit, horizontal	1/20	E84T727H	(**)
Key card time delay switch		E8431 EKT	(**)
DND & PCU illuminated Indicator		E8432DM	(**)
2G switch with illuminated DND & PCU symbols		E8432DMS	(**)
1G bell switch with illuminated DND & PCU symbols		E8431BPDM	(**)
1G bell switch with illuminated "Do not disturb" symbol		E8431BPD	(**)
1G bell switch with illuminated "Please clean up" symbol		E8431BPM	(**)

Delivery time: 30 - 60 days

(**) Please contact Schneider Electric distributors for price request.

Zencelo, Silver Bronze Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733

Tiêu chuẩn:

Mặt: BS5733

Công tắc: IEC60669-1

Ổ cắm: IEC60884

Ổ dữ liệu, TV, điện thoại: IEC11801, BS3041, BS5733

Unit price (excl.VAT) in USD

Switch 16A 250V, Silver Bronze Color




Description	Box size	Reference	Unit Price
16A 1G 1W switch w. Ondicator	8/80	E8431/1SZ	(**)
16A 2G 1W switch w. Ondicator	8/80	E8432/1SZ	(**)
16A 3G 1W switch w. Ondicator	8/80	E8433/1SZ	(**)
16A 1G 2W switch	8/80	E8431/2SZ	(**)
16A 2G 2W switch	8/80	E8432/2SZ	(**)
16A 3G 2W switch	8/80	E8433/2SZ	(**)
1G 300VA, 50Hz dimmer w. LED	6/60	E8431EPD4SZ	(**)
2G 300VA, 50Hz dimmer w. LED	6/60	E8432EPD3SZ	(**)

Double Pole (DP) Switch 250V, Silver Bronze Color



Description	Box size	Reference	Unit Price
20A 1G DP switch w. neon	8/80	E8431D20SZ	(**)
20A 2G DP switch w. neon	8/80	E8432D20SZ	(**)
32A 1G DP rocker switch w. neon	8/80	E8431D32SZ	(**)
45A 1G DP rocker switch w. neon	8/80	E8431D45SZ	(**)

Socket Outlet 250V, Silver Bronze Color



Description	Box size	Reference	Unit Price
10A 1G switched uni so w.Ondicator	8/80	E8415USZ	(**)
10A 1G socket	8/80	E84426USZ	(**)
10A 2G socket	8/80	E84426U2SZ	(**)
16A 1G 3 pin socket, silve bronze		E84426UESTSZ	(**)
16A 2G 3 pin socket		E84426UEST2SZ	(**)
1G international socket w. shutter	8/80	E84426/16ISSZ	(**)

British Socket Outlet 250V, Silver Bronze Color



Description	Box size	Reference	Unit Price
13A 1G socket	10/100	E84426SZ	(**)
13A 1G switched socket w. Ondicator	8/80	E8415SZ	(**)
13A 1G switched socket w. neon	8/80	E8415NSZ	(**)
13A twin gang socket	5/50	E84T426SZ	(**)
13A twin gang switched socket w. Ondicator	5/50	E84T25SZ	(**)
13A twin gang switched socket w. neon	5/50	E84T25NSZ	(**)
13A 1G 3P switched socket w.Ondicator	8/80	E8415DSZ	(**)
13A 2G 3P switched socket w.Ondicator	4/40	E84T25DSZ	(**)
13A 1G DP switched socket w. neon	8/80	E8415DNSZ	(**)
13A twin gang DP switched socket w. neon	4/40	E84T25DNSZ	(**)
45A DP switch &13A switched socket	5/50	E84T15D45NSZ	(**)

Delivery time: 30 - 60 days

(**) Please contact Schneider Electric distributors for price request.

Standard:

Plate: BS5733
 Switch: IEC60669-1
 Socket: IEC60884
 VDI outlet: IEC11801, BS3041, BS5733

Tiêu chuẩn:

Mặt: BS5733
 Công tắc: IEC60669-1
 Ổ cắm: IEC60884
 Ổ dữ liệu, TV, điện thoại: IEC11801, BS3041, BS5733



Unit price (excl.VAT) in USD

VDI Outlet, Silver Bronze Color

Description	Box size	Reference	Unit Price
1G CATV outlet	6/60	E8431CATVVSZ	(**)
1G TV outlet slave	8/80	E8431TVSSZ	(**)
2G TV outlet slave	8/80	E8432TVSSZ	(**)
1G TV outlet slave, F connection	8/80	E8431TVSFSZ	(**)
1G TV outlet master, F connection	6/60	E8431TVMFSZ	(**)
1G Tel outlet w. shutter on plate	8/80	E8431RJS4SZ	(**)
2G Tel outlet w. shutter on plate	8/80	E8432RJS4SZ	(**)
1G data outlet cat5e, w.integrated sh	8/80	E8431RJ/5SZ	(**)
1G data outlet cat5e, w. shutter on plate	8/80	E8431RJS/5SZ	(**)
2G data outlet cat5e, w. integrated shutter	8/80	E8432RJ/5SZ	(**)
2G data outlet cat5e, w. shutter on plate	8/80	E8432RJS/5SZ	(**)
1G data outlet cat6, w. integrated shutter	8/80	E8431RJ/6SZ	(**)
1G data outlet cat6, w. shutter on plate	8/80	E8431RJS/6SZ	(**)
2G data outlet cat6, w. integrated shutter	8/80	E8432RJ/6SZ	(**)
2G data outlet cat6, w. shutter on plate	8/80	E8432RJS/6SZ	(**)
Tel & data outlet cat5e, w. integrated shutter	8/80	E8432TDRJS/5SZ	(**)
Tel & data outlet cat6, w. shutter on plate	8/80	E8432TDRJS/6SZ	(**)
1G plate w.o modular jack	10/100	E8431RJSZ	(**)
1G shuttered plate w.o modular jack	10/100	E8431RJSSZ	(**)
2G plate w.o modular jack	10/100	E8432RJSZ	(**)
2G shuttered plate w.o modular jack	10/100	E8432RJSSZ	(**)



Hotel Series, Silver Bronze Color

Description	Box size	Reference	Unit Price
Shaver unit, vertical	1/20	E84T727VSZ	(**)
Shaver unit, horizontal	1/20	E84T727HSZ	(**)
Key card time delay switch		E8431 EKTSZ	(**)
DND & PCU illuminated Indicator		E8432DMSZ	(**)
2G switch with illuminated DND & PCU symbols		E8431BPDMSZ	(**)
1G bell switch with illuminated DND & PCU symbols		E8432DMSSZ	(**)
1G bell switch with illuminated "Do not disturb" symbol		E8431BPDSZ	(**)
1G bell switch with illuminated "Please clean up" symbol		E8431BPMSZ	(**)

Delivery time: 30 - 60 days

(**) Please contact Schneider Electric distributors for price request.

Neo, White Color Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733

Tiêu chuẩn:

Mặt: BS5733

Công tắc: IEC60669-1

Ổ cắm: IEC60884

Ổ dữ liệu, TV, điện thoại: IEC11801, BS3041, BS5733

Unit price (excl.VAT) in USD



Horizontal Switch With Fluorescent Indicator, White Color

Description	Box size	Reference	Unit Price
10A 1G 1W switch w. fluoeres	8/80	E3031H1FWWW	(**)
10A 2G 1W switch w. fluoeres	8/80	E3032H1FWWW	(**)
10A 3G 1W switch w. fluoeres	8/80	E3033H1FWWW	(**)
10A 4G 1W switch w. fluoeres	8/80	E3034H1FWWW	(**)
10A 1G 2W switch w. fluoeres	8/80	E3031H2FWWW	(**)
10A 2G 2W switch w. fluoeres	8/80	E3032H2FWWW	(**)
10A 3G 2W switch w. fluoeres	8/80	E3033H2FWWW	(**)
10A 4G 2W switch w. fluoeres	8/80	E3034H2FWWW	(**)



Horizontal Switch With LED, White Color

Description	Box size	Reference	Unit Price
10A 1G 1W switch w. LED	8/80	E3031H1EWWW	(**)
10A 2G 1W switch w. LED	8/80	E3032H1EWWW	(**)
10A 3G 1W switch w. LED	8/80	E3033H1EWWW	(**)
10A 4G 1W switch w. LED	8/80	E3034H1EWWW	(**)
10A 1G 2W switch w. LED	8/80	E3031H2EWWW	(**)
10A 2G 2W switch w. LED	8/80	E3032H2EWWW	(**)
10A 3G 2W switch w. LED	8/80	E3033H2EWWW	(**)
10A 4G 2W switch w. LED	8/80	E3034H2EWWW	(**)
16A Intermediate switch	8/80	E3031HIAEWWW	(**)
600W 1G dimmer w. LED	8/80	E3031HDEWWW	(**)
600W 2G dimmer w. LED	8/80	E3032HDEWWW	(**)



Vertical Switch With Fluorescent Indicator, White Color

Description	Box size	Reference	Unit Price
10A 1G 1W switch w. fluoeres	8/80	E3031V1FWWW	(**)
10A 2G 1W switch w. fluoeres	8/80	E3032V1FWWW	(**)
10A 3G 1W switch w. fluoeres	8/80	E3033V1FWWW	(**)
10A 1G 2W switch w. fluoeres	8/80	E3031V2FWWW	(**)
10A 2G 2W switch w. fluoeres	8/80	E3032V2FWWW	(**)
10A 3G 2W switch w. fluoeres	8/80	E3033V2FWWW	(**)



Vertical Switch With LED, White Color

Description	Box size	Reference	Unit Price
10A 1G 1W switch w. LED	8/80	E3031V1EWWW	(**)
10A 1G 1W switch w. LED	8/80	E3032V1EWWW	(**)
10A 3G 1W switch w. LED	8/80	E3033V1EWWW	(**)
10A 1G 2W switch w. LED	8/80	E3031V2EWWW	(**)
10A 2G 2W switch w. LED	8/80	E3032V2EWWW	(**)
10A 3G 2W switch w. LED	8/80	E3033V2EWWW	(**)
16A Intermediate switch	8/80	E3031VIAEWWW	(**)



DP Switch & Connection Unit, White Color

Description	Box size	Reference	Unit Price
20A DP switch w. LED	8/80	E3031HD20EWWW	(**)
32A DP switch		E3031DR32WWW	(**)
32A DP switch w. LED		E3031DR32EWWW	(**)
45A DP switch		E3031DR45WWW	(**)
45A DP switch w. LED		E3031DR45EWWW	(**)
25A connection unit	10/100	E3031TBWWW	(**)
13A fused connection unit	10/100	E3030FSGWWW	(**)
13A fused connection unit w. LED	10/100	E3030FSGEWWW	(**)
13A fused connection unit w. DP switch	10/100	E3031DFSGWWW	(**)
13A fused connection unit w. DP switch & LED	10/100	E3031DFSGEWWW	(**)

Delivery time: 30 - 60 days

(**) Please contact Schneider Electric distributors for price request.

Neo, White Color Series

Standard:

Plate: BS5733
Switch: IEC60669-1
Socket: IEC60884
VDI outlet: IEC11801, BS3041, BS5733

Tiêu chuẩn:


Mặt: BS5733
Công tắc: IEC60669-1
Ổ cắm: IEC60884
Ổ dữ liệu, TV, điện thoại: IEC11801, BS3041, BS5733

Unit price (excl.VAT) in USD



Socket Outlet, White Color

Description	Box size	Reference	Unit Price
10A 2 pin single socket	10/100	E3426USWW	(**)
10A 2 pin switched socket	10/100	E3015USWW	(**)
10A 2 pin duplex socket	10/100	E3426US2WW	(**)
16A 3 pin single socket		E3426UESTWW	(**)
16A 3 pin duplex socket		ET3426UEST2WW	(**)
10A International socket	10/100	E3426/10ISWW	(**)



British Socket Outlet, White Color

Description	Box size	Reference	Unit Price
13A 3 pin socket	10/100	E3426WW	(**)
13A 3 pin twin socket	6/60	ET3426WW	(**)
13A 3 pin switched socket	10/100	E3015WW	(**)
13A 3 pin switched socket w. LED	10/100	E3015DEWWW	(**)
13A 3 pin twin switched socket		ET3025WW	(**)
13A 3 pin twin switched socket w. LED		ET3025DEWWW	(**)
16A Schuko socket		E3426/16SWW	(**)




VDI Outlet, White Color

Description	Box size	Reference	Unit Price
1G TV outlet	10/100	E3031TVWW	(**)
2G TV outlet	10/100	E3032TVWW	(**)
1G Tel outlet w. shutter	10/100	E3031RJWW	(**)
2G Tel outlet w. shutter	10/100	E3032RJWW	(**)
1G data outlet, cat5e, w. shutter	10/100	E3031RJ5EWW	(**)
2G data outlet, cat5e, w. shutter	10/100	E3032RJ5EWW	(**)
TV & FM w. 2 cord grips	10/100	E3032TVFM/2WW	(**)
Tel outlet & data outlet cat5e, outlet w. shutter	10/100	E3032TDWW	(**)



Accessories, White Color

Description	Box size	Reference	Unit Price
1G blank plate	20/200	E3030XWW	(**)
2G blank plate	20/200	ET3030XWW	(**)



Hotel Series, White Color

Description	Box size	Reference	Unit Price
115/240V Shaver unit, vertical	1/20	ET3727VWW	(**)
Key card switch	8/80	E3031EKTHWW	(**)
DND & PCU illuminated indicator	8/80	E3030VDMWW	(**)
2G switch with illuminated DND & PCU symbols	8/80	E3032HDMWW	(**)
Bell switch, horizontal	8/80	E3031HBPWW	(**)
Bell switch, vertical	8/80	E3031VBPWW	(**)
4A 250V Bell switch w. illuminated "Do not disturb" symbol	8/80	E3031VBPDWW	(**)
4A 250V Bell switch w. illuminated "Please clean up" symbol	8/80	E3031VBPMWW	(**)
4A Bell switch w. illuminated DND & PCU symbols	8/80	E3031VBPDMWW	(**)

Delivery time: 30 - 60 days

(**) Please contact Schneider Electric distributors for price request.

Neo, Grey Silver Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733

Tiêu chuẩn:

Mặt: BS5733

Công tắc: IEC60669-1

Ổ cắm: IEC60884

Ổ dữ liệu, TV, điện thoại: IEC11801, BS3041, BS5733

Unit price (excl.VAT) in USD



Horizontal Switch With Fluorescent Indicator, Grey Silver Color

Description	Box size	Reference	Unit Price
10A 1G 1W switch w. fluoeres	8/80	E3031H1FGGS	(**)
10A 2G 1W switch w. fluoeres	8/80	E3032H1FGGS	(**)
10A 3G 1W switch w. fluoeres	8/80	E3033H1FGGS	(**)
10A 4G 1W switch w. fluoeres	8/80	E3034H1FGGS	(**)
10A 1G 2W switch w. fluoeres	8/80	E3031H2FGGS	(**)
10A 2G 2W switch w. fluoeres	8/80	E3032H2FGGS	(**)
10A 3G 2W switch w. fluoeres	8/80	E3033H2FGGS	(**)
10A 4G 2W switch w. fluoeres	8/80	E3034H2FGGS	(**)



Horizontal Switch With LED, Grey Silver Color

Description	Box size	Reference	Unit Price
10A 1G 1W switch w. LED	8/80	E3031H1EBGS	(**)
10A 2G 1W switch w. LED	8/80	E3032H1EBGS	(**)
10A 3G 1W switch w. LED	8/80	E3033H1EBGS	(**)
10A 4G 1W switch w. LED	8/80	E3034H1EBGS	(**)
10A 1G 2W switch w. LED	8/80	E3031H2EBGS	(**)
10A 2G 2W switch w. LED	8/80	E3032H2EBGS	(**)
10A 3G 2W switch w. LED	8/80	E3033H2EBGS	(**)
10A 4G 2W switch w. LED	8/80	E3034H2EBGS	(**)
16A intermediate switch, horizontal	8/80	E3031HIAEBGS	(**)
600W 1G dimmer w. LED	8/80	E3031HDEBGS	(**)
600W 2G dimmer w. LED	8/80	E3032HDEBGS	(**)



Vertical Switch With Fluorescent Indicator, Grey Silver Color

Description	Box size	Reference	Unit Price
10A 1G 1W switch w. fluoeres	8/80	E3031V1FGGS	(**)
10A 2G 1W switch w. fluoeres	8/80	E3032V1FGGS	(**)
10A 3G 1W switch w. fluoeres	8/80	E3033V1FGGS	(**)
10A 1G 2W switch w. fluoeres	8/80	E3031V2FGGS	(**)
10A 2G 2W switch w. fluoeres	8/80	E3032V2FGGS	(**)
10A 3G 2W switch w. fluoeres	8/80	E3033V2FGGS	(**)



Vertical Switch With LED, Grey Silver Color

Description	Box size	Reference	Unit Price
10A 1G 1W switch w. LED	8/80	E3031V1EBGS	(**)
10A 2G 1W switch w. LED	8/80	E3032V1EBGS	(**)
10A 3G 1W switch w. LED	8/80	E3033V1EBGS	(**)
10A 1G 2W switch w. LED	8/80	E3031V2EBGS	(**)
10A 2G 2W switch w. LED	8/80	E3032V2EBGS	(**)
10A 3G 2W switch w. LED	8/80	E3033V2EBGS	(**)
16A Intermediate switch, vertical	8/80	E3031VIAEBGS	(**)



DP Switch & Connection Unit, Grey Silver Color

Description	Box size	Reference	Unit Price
20A DP switch w. LED	8/80	E3031HD20EBGS	(**)
32A DP switch		E3031DR32GS	(**)
32A DP switch w. LED		E3031DR32EBGS	(**)
45A DP switch		E3031DR45GS	(**)
45A DP switch w. LED		E3031DR45EBGS	(**)
25A connection unit	10/100	E3031TBGS	(**)
13A fused connection unit	10/100	E3030FSGGS	(**)
13A fused connection unit w. LED	10/100	E3030FSGEBGS	(**)
13A fused connection unit w. DP switch	10/100	E3031DFSGGS	(**)
13A fused connection unit w. DP switch & LED	10/100	E3031DFSGEBGS	(**)

Delivery time: 30 - 60 days

(**) Please contact Schneider Electric distributors for price request.

Neo, Grey Silver Series

Standard:

Plate: BS5733
 Switch: IEC60669-1
 Socket: IEC60884
 VDI outlet: IEC11801, BS3041, BS5733

Tiêu chuẩn:


Mặt: BS5733
 Công tắc: IEC60669-1
 Ổ cắm: IEC60884
 Ổ dữ liệu, TV, điện thoại: IEC11801, BS3041, BS5733

Unit price (excl.VAT) in USD




Socket Outlet, Grey Silver Color

Description	Box size	Reference	Unit Price
10A 2 pin single socket	10/100	E3426USGS	(**)
10A, 2 pin switched international socket	10/100	E3015USGS	(**)
10A 2 pin duplex socket	10/100	E3426US2GS	(**)
16A 3 pin single socket		E3426UESTGS	(**)
16A 3 pin twin socket		ET3426UEST2GS	(**)
10A International socket	10/100	E3426/10ISGS	(**)



British Socket Outlet, Grey Silver Color

Description	Box size	Reference	Unit Price
13A, 3 pin socket	10/100	E3426GS	(**)
13A, twin 3Pin socket	6/60	ET3426GS	(**)
13A 3 pin switched socket	10/100	E3015GS	(**)
13A 3 pin switched socket w. LED	10/100	E3015DEBGS	(**)
13A 3Pin twin switched socket		ET3025GS	(**)
13A 3Pin twin switched socket w. LED		ET3025DEBGS	(**)
16A Schuko socket		E3426/16SGS	(**)



VDI Outlet, Grey Silver Color

Description	Box size	Reference	Unit Price
1G TV outlet	10/100	E3031TVGS	(**)
2G TV outlet	10/100	E3032TVGS	(**)
1G Tel outlet w. shutter	10/100	E3031RJGS	(**)
2G Tel outlet w. shutter	10/100	E3032RJGS	(**)
1G data outlet, cat5e, w. shutter	10/100	E3031RJ5EGS	(**)
2G data outlet, cat5e, w. shutter	10/100	E3032RJ5EGS	(**)
TV & FM w. 2 cord grips	10/100	E3032TVFM/2GS	(**)
Tel outlet & data outlet cat5e, outlet w. shutter	10/100	E3032TDGS	(**)



Accessories, Grey Silver Color

Description	Box size	Reference	Unit Price
1G blank plate	20/200	E3030XGS	(**)
2G blank plate	20/200	ET3030XGS	(**)



Hotel Series, Grey Silver Color

Description	Box size	Reference	Unit Price
115/240V Shaver unit, vertical	1/20	ET3727VGS	(**)
Key card switch	8/80	E3031EKTHGS	(**)
DND & PCU illuminated indicator	8/80	E3030VDMGS	(**)
2G switch with illuminated DND & PCU symbols	8/80	E3032HDMGS	(**)
Bell switch, horizontal	8/80	E3031HBPGS	(**)
Bell switch, vertical	8/80	E3031VBPGS	(**)
4A 250V Bell switch w. illuminated "Do not disturb" symbol	8/80	E3031VBPDGS	(**)
4A 250V Bell switch w. illuminated "Please clean up" symbol	8/80	E3031VBPMGS	(**)
4A Bell switch w. illuminated DND & PCU symbols	8/80	E3031VBPDMGS	(**)

Delivery time: 30 - 60 days

(**) Please contact Schneider Electric distributors for price request.

Floor Sockets

Floor socket

2 color option: Aluminum shine & Brass
Multi choices bcs of replacable socket
Easy to install & Safety

Ổ cắm âm sàn

2 màu sắc lựa chọn: Nhũ bạc & Nhũ đồng
Thay đổi linh hoạt các thiết bị đáp ứng nhu cầu sử dụng
Dễ lắp đặt & an toàn cao

Unit price (excl.VAT) in USD

Empty Floor outlet, with outlet box


Description	Box size	Reference	Unit Price
Empty floor outlet w. box for S-Flexi, aluminium color		E224FABE	45.35
Empty floor outlet w. box for S-Flexi, brass color		E224FBAS	54.42
Empty floor outlet w. box for series Concept, aluminium color		CON224ABE	45.35
Empty floor outlet w. box for series Concept, brass color		CON224BAS	54.42
55mm box for floor outlet		M224B	2.62
65mm box for floor outlet		M224DB	4.30

Floor outlet, 10A 250V, without box, Alumium color

Description	Box size	Reference	Unit Price
10A single 2 pin fl.socket, aluminum color		E224U2(ABE)	40.49
10A duplex 2 pin fl.socket, aluminum color		E224U2/2(ABE)	42.11
10A International 2 pin fl.socket, aluminum color		E224(ABE)	42.32
Tel & 2G cat5e data fl. socket, aluminum color		E224TRJ5/2(ABE)	50.96
3G cat5e data fl socket, aluminum color		E224RJ5(ABE)	53.45
3G cat6 data fl socket, aluminum color		E224RJ6(ABE)	74.83
Tel & cat5e data fl. socket, aluminum color		E224TRJ5(ABE)	46.10

Floor outlet, 10A 250V, without box, Brass color

Description	Box size	Reference	Unit Price
10A single 2 pin fl.socket, brass color		E224U2(BAS)	48.59
10A duplex 2 pin fl.socket, brass color		E224U2/2(BAS)	50.53
10A International 2 pin fl.socket, brass color		E224(BAS)	50.79
Tel & 2G cat5e data fl. socket, brass color		E224TRJ5/2(BAS)	61.15
3G cat5e data fl socket, brass color		E224RJ5(BAS)	64.14
3G cat6 data fl socket, brass color		E224RJ6(BAS)	89.79
Tel & cat5e data fl. socket, brass color		E224TRJ5(BAS)	55.31



Best Quality Most Flexible in The Market

E224F-ABE Pop-up with wall box FREE wall box 1,250.-

E224F-BAS Pop-up with wall box FREE wall box 2,000.-

F1426UAM 10A 250V 3 Pin International Socket Outlet With Shutter

Delivery time: 30 - 60 days